CLAIMS

What is claimed is:

- 1. An isolated polynucleotide molecule encoding a PAR4 polypeptide selected from the group consisting of:
- a) polynucleotide molecules comprising a nucleotide sequence as shown in SEQ ID NO: 1 from nucleotide 176 to nucleotide 1330;
 - b) allelic variants of (a);
 - c) orthologs of (a); and
- d) degenerate nucleotide sequences of (a), (b) or (c).
- 2. An isolated polynucleotide molecule of Claim 1, wherein the polynucleotide molecule is selected from the group consisting of:
- a) polynucleotide molecules comprising a nucleotide sequence as shown in SEQ ID NO: 1 from nucleotide 227 to nucleotide 1330;
 - b) allelic variants of (a);
 - c) orthologs of /(a); and
- d) degenerate mucleotide sequences of (a), (b) or (c).
- 3. An isolated polynucleotide molecule of Claim 1, wherein the polynucleotide molecule is selected from the group consisting of:
- a) polynucleotide molecules comprising a nucleotide sequence as shown in SEQ ID NO: 1 from nucleotide 317 to nucleotide 1330;
 - b) allelic variants of \((a) ;
 - c) orthologs of (a); and
- d) degenerate nucleotide sequences of (a), (b) or
 (c).

- 4. An isolated polynucleotide molecule encoding a PAR4 ligand selected from the group consisting of:
- a) polynucleotide molecules comprising a nucleotide sequence as shown in SEQ ID NO: 1 from nucleotide 317 to nucleotide 409;
 - b) allelic variants of (a);
 - c) orthologs of (a); and
- d) degenerate nucleotide sequences of (a), (b) or(c).
- 5. An expression vector comprising the following operably linked elements:
 - a transcription promoter;
 - a DNA segment selected from the group consisting of:
- a) polynucleotide molecules comprising a nucleotide sequence as shown in SEQ ID NO: 1 from nucleotide '176 to nucleotide 1330;
 - b) allelic variants of (a);
 - c) orthologs of (a); and
- d) degenerate intellectide sequences of (a), (b) or (c); and
 - a transcription terminator.
- 6. A cultured cell into which has been introduced an expression vector according to Claim 5, wherein said cell expresses the polypeptide encoded by the DNA segment.
 - 7. An isolated PAR4 polypeptide.
- 8. An isolated PAR4 polypeptide selected from the group consisting of: $\begin{tabular}{ll} \begin{tabular}{ll} \begin{tabula$
- a) polypeptide molecules comprising an amino acid sequence as shown in SEQ ID NO: 2 from residue 18 (Gly) to residue 385 (Gln);
 - b) allelic variants of (a); and
 - c) orthologs of (a),

wherein the PAR4 polypeptide is a protease-activated receptor.

- 9. An isolated PAR4 ligand selected from the group consisting of:
- a) polypeptide molecules comprising an amino acid sequence as shown in SEQ ID NO:2 from residue 48 (Gly) to residue 53 (Val);
 - b) allelic variants of (a); and
 - c) orthologs of (a).
- 10. A pharmaceut cal composition comprising purified PAR4 ligand according to Claim 9, in combination with a pharmaceutically acceptable vehicle.
- 11. An antibody that binds to an epitope of a polypeptide according to Claim 8.

Add Bi